


Article number:	308100010 – ID 18      308120020 – ID 43      308150010 – ID 75 308100020 – ID 21      308130010 – ID 53 308110010 – ID 315      308130020 – ID 54 308110020 – ID 32      308140010 – ID 64 308120010 – ID 42      308140020 – ID 65
	
Product name:	Access doors for rectangular ductwork
Field of application:	Access door for rectangular and oval ductwork. Provides easy access to ductwork for cleaning and inspection.
Material:	Upper and lower shell: galvanized steel
Size:	ID 18 width: 180 mm x 80 mm ID 21 width: 200 mm x 100 mm ID 315 width: 300 mm x 150 mm ID 32 width: 300 mm x 200 mm ID 42 width: 400 mm x 200 mm ID 43 width: 400 mm x 300 mm ID 53 width: 500 mm x 300 mm ID 54 width: 500 mm x 400 mm ID 64 width: 600 mm x 400 mm ID 65 width: 600 mm x 500 mm ID 75 width: 700 mm x 500 mm
Hand knobs:	Polyamide; star-shaped With embedded metal thread Colour: red
Seal:	Polyethylene foam gasket Colour: white Temperature resistance: - 30°C to + 80°C Grease resistance: good Resistance to condensation water: good Halogen free
Screw and nut:	Carriage bolt DIN 603, galvanized steel

The intention of this product leaflet is to provide non-binding information and should only be interpreted as such. The information takes the current state of technical developments and developments in the chemical industry. We reserve the right to make modifications relating to the product as well as to develop it further. No liability on our part can be derived from this. Users should check the suitability of the product for the intended purpose by conducting their own tests

	Hex nut ISO 4035, galvanized steel
Remarks:	Tested to DIN EN 1507 Class D (TÜV-Nord certified) Self-adhesive drilling plate in each bag Fixed by two star-shaped hand knobs with embedded metal thread

