GEBHARDT STAHL

PRODUCT DATA SHEET - 3131X00XX

Gebhardt-Stahl GmbH

Tel. +49 2922 9733-0 info@gebhardt-stahl.de

Runtestraße 33 59457 Werl Postfach 80 35 59079 Werl Fax +49 2922 9733-290 www.gebhardt-stahl.de

As of: 01.12.2020

Article number:	313150009 – 9 mm 313150011 – 11 mm 313140008 – M8 313140010 – M10
Product name:	Beam clamp
Field of application:	For attaching ductwork or tubes to beams
Variants:	313150009 – 9 mm – plain hole Ø 9 mm 313150011 – 11 mm - plain hole Ø11 mm 313140008 – M8 – internal thread M8 313140010 – M10 – internal thread M10
Material:	Zinc plated cast iron
Unit:	Boxes a 50 pcs
Weight:	313150009 – 9 mm: 0,081 kg/pc 313150011 – 11 mm: 0,141 kg/pc 313140008 – M8: 0,080 kg/pc 313140010 – M10: 0,143 kg/pc
Maximum load capacity:	M 8: 120 kg M 10: 250 kg 9 mm: 120 kg 11 mm: 250 kg
Production method:	Iron casting
Remarks:	Assembly without drilling or welding

The intention of this product leaflet is to provide non-binding information and should only be interpreted as such. The information takes the current state of technical developments and developments in the chemical industry. We reserve the right to make modifications relating to the product as well as to develop it further. No liability on our part can be derived from this. Users should check the suitability of the product for the intended purpose by conducting their own tests.



PRODUCT DATA SHEET - 3131X00XX

Gebhardt-Stahl GmbH

Tel. +49 2922 9733-0 info@gebhardt-stahl.de

Runtestraße 33 59457 Werl Postfach 80 35 59079 Werl Fax +49 2922 9733-290 www.gebhardt-stahl.de

As of: 01.12.2020

Application:	
	V

The intention of this product leaflet is to provide non-binding information and should only be interpreted as such. The information takes the current state of technical developments and developments in the chemical industry. We reserve the right to make modifications relating to the product as well as to develop it further. No liability on our part can be derived from this. Users should check the suitability of the product for the intended purpose by conducting their own tests.